

Operating Instructions

Thank you for purchasing J&J go-karts! Our goal is to provide you with continued support for your new go-karts, and most importantly, to operate them safely. These operating instructions and the enclosed owner/service manuals contain information on how to do just that: please read them both carefully before operating your go-karts. **YOUR SIGNATURE BELOW CERTIFIES THAT YOU HAVE READ AND UNDERSTOOD THE OPERATING INSTRUCTIONS, SERVICE MANUAL AND ALL BULLETINS AND APPLICABLE GUIDELINES.**

All information contained in these documents is based on the latest product information available at the time of printing. J&J Amusements, Inc. reserves the right to make changes at any time without notice and without incurring any obligation. See www.jjamusements.com for the most current copy of the operating instructions, service manuals, and bulletins and guidelines.

The operating instructions, service manuals, and bulletins and guidelines should be considered a permanent part of the go-karts and should remain with the go-karts if they are ever resold.

J&J go-karts are manufactured to comply with ASTM F2007-12 standards and are intended for controlled-course, concession use only; any other use is not intended or implied. They are not intended for personal use.

Owner/Operator's Responsibility

- The owner/operator must familiarize themselves and comply with ASTM F2007-12 standards.
- The owner/operator must familiarize themselves with the J&J service manual that corresponds with their equipment.
- The owner/operator must familiarize themselves with the corresponding Honda service manual if their karts are equipped with a Honda engine.
- The owner/operator must familiarize themselves with the corresponding Honda owner manual if their karts are equipped with a Honda engine.
- A daily pre-opening inspection of each go-kart must be performed prior to the go-karts being allowed to carry passengers. This inspection should include, but not be limited to, the forms included in J&J service manual. Online copy of this manual can be found at:

WARNING

Improperly maintaining go-kart, or failure to correct a problem before operation, can cause a malfunction in which you or your customer can be seriously injured or killed.

Always perform a pre-operation inspection and correct any problems before opening up go-kart ride to the public. Go-Karts that do not pass the pre-opening inspection need to be tagged out with a work order tag.

<http://www.jjamusements.com/technical/workshop.htm>

Pre-opening daily checklist for gas-powered go-karts

Go-kart Serial #		Body Color & Number			Notes:			
All items on the checklist are important to daily operating procedures. Failure in any area should result in go-kart being locked out of service.								
Item #	Description	Mon	Tues	Wed	Thu	Fri	Sat	Sun
1	FUEL SYSTEM: check for any signs of fuel leaks from the tank, cap, fuel filter, vents, fittings, etc.							
2	COVERS & GUARDS: check for proper installation of the steering cover, axle cover, pulley guard, fenders and body.							
3	SEAT BELTS: visually check for frayed webbing and loose stitching; check buckle and adjustment operation.							
4	SAFETY & WARNING DECALS: replace if damaged or illegible.							
5	PADS: check seat, seat back, seat belt, roll bar, steering wheel and steering post pads for damage; replace as needed.							
6	ACCELERATOR: check for smooth operation and full return when released.							
7	BRAKES: check pedal travel; check for proper action during a test drive.							
8	STEERING: check for smooth motion; visually check front wheel alignment.							
9	REMOTE SHUT-OFF SYSTEM (if equipped): verify proper operation, per manufacturer's recommendations.							
10	ENGINE & REDUCTION CASE: check oil level; fill to proper level.							
11	ROLL BAR: check for any looseness in the roll bar system.							
12	D-RUBBERS & BUMPER SYSTEM: check for any signs of damage; replace when necessary.							
13	BODY MOUNTS: check for looseness or improper fastening.							
14	TIRES & WHEELS: verify tires' PSI is to specification; check wheels for loose or missing lug nuts.							
15	OPERATING TEST: drive go-kart to verify proper operation and function.							

⚠ WARNING

During the day, periodic checks need to be done. Operators must be aware of safety concerns at all times.

NOTICE

Owner/Operator must keep and maintain records of each go-kart.

PRINTABLE WORK ORDER TAGS

This sample maintenance work order tag can be copied for use in your facility. Copy and cut tag along dashed line and fold along the fold line indicated. Simply attach a maintenance work order tag to a machine in need of repair. When maintenance is complete, file with other service and maintenance information.




<p>MAINTENANCE WORK ORDER</p> <p>GO-KART # _____</p> <p>BUMPERBOAT # _____</p>	<p>Description of Work Performed:</p>
<p>Explanation of problem:</p>	<p>Parts Used:</p>
<p>Employee Name: _____</p>	<p>Date/Time: _____</p> <p>Mechanic: _____</p> <p>Manager: _____</p>

FOLD HERE

FOLD HERE

Front Back

Harness adjustment - Single/Double Go-karts



1. Insert the metal tab into the buckle.
 2. Begin by adjusting the lap portion of the seatbelt by gently pulling on the seatbelt lap portion with the green tabs. Be sure to adjust both sides as needed to ensure the lap belt is firmly holding the waist area of the guest. Each side may need to be adjusted to keep the buckle located on the center of the rider.
 3. With the lap belt adjusted firmly and the buckle in the center of the guest, now adjust the seatbelt shoulder portion by pulling the seatbelt shoulder straps with the green tabs until shoulder straps are snug.
 4. Lap belt should be firmly on lap and should harnesses snug when the belt is gently lifted from behind the occupants shoulder the lap belt should not lift off of the guests lap.
 5. If the guest is too large for the seatbelt to fit a seatbelt extension made by J&J Amusements can be used.
 6. To release your seatbelt, lift the upper portion of the buckle.
- Seatbelt must be properly used while seated in the go-kart.
 - No driver or passenger should be allowed to ride if the seatbelt is not fastened properly.
 - One person per seatbelt.
 - Pulling on the Orange Tabs will loosen the seatbelt.
 - Pulling on the Green Tabs will tighten the seatbelt.
 - Lifting up on the upper portion of the buckle will release seatbelt.

Track:

- Signs that are visible to all drivers/passengers must be posted in both the queue line and the loading area that reads:

“WARNING! Go-karts have rotating parts. Hair longer than shoulder length must be secured above the shoulder.”

- **Driver and Passenger requirements:**

- **SINGLE-SEAT GO-KARTS ONLY:** Before allowing entry to any kart, track employees must verify that the driver is physically capable of operating the kart while seated in the intended position for operation and while properly restrained. Passengers must not be permitted in go-karts that are designed for only one occupant.
- **DOUBLE-SEAT GO-KARTS ONLY:** Before allowing entry to any kart, track employees must verify that the driver is physically capable of operating the kart while seated in the intended position for operation and while properly restrained. To carry a passenger, the driver must be a minimum of 18 years of age, or the parent or legal guardian of the passenger. Track employees must also verify that the passengers are a minimum of 40in (101.6cm) tall and possess upper-body control.

Safety:

THE OWNER/OPERATOR ASSUMES FULL RESPONSIBILITY FOR THE SAFETY AND HEALTH OF EMPLOYEES, PASSENGERS AND GUESTS OF THE TRACK. IT IS THE RESPONSIBILITY OF THE OWNER/OPERATOR TO ESTABLISH APPROPRIATE SAFETY AND HEALTH PRACTICES AND DETERMINE THE APPLICABILITY OF ALL LOCAL RULES AND REGULATIONS PRIOR TO USE OR OPERATION OF ANY J&J PRODUCT.

References:

See www.astm.org for your copy of ASTMs standards and guidelines.

ASTM F2007-12

Standard Practice for Design, Manufacture, and Operation of Concession Go-Karts and Facilities

Confirmation of Receipt and Review of Operating Instructions

I, _____, hereby acknowledge that I have received and read a copy of J&J's operating instructions, service manual, bulletins and applicable guidelines.

DATE _____/_____/_____

NAME (Print) _____

SIGNATURE _____

TITLE _____

COMPANY _____

ADDRESS _____

DIRECT PHONE NUMBER _____

Please fill out and return to J&J Amusements Inc.

E-Mail: portfolio@jjamusements.com

Fax: 503-304-1899

Mailing: 4897 Indian School Road NE, Salem, Oregon 97305-1126